

d-COPIA

3002MF-3502MF

ENVIRONMENTAL INFO

D-COPIA 3002MF

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	6,3A
Power consumption (Max.)	1605 W
Power consumption (Printing)	620W
Power consumption (Off mode)	1,6W
Power consumption (Power saving mode)	120W
Power consumption (Off mode)	0,1W
TEC (Typical Electricity Consumption)	1,935 kWh/week
Power consumption in networked stand-by - Ethernet	1,9W
Power consumption in networked stand-by	1,9W
Networked stand-by mode switch time	20 min.
Noise level in copying	65,4 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in stand-by	40,3 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	0,047mg/h RAL UZ 171
Fine dust emission	0,68mg/h RAL UZ 171
Styrene emission	0,43mg/h RAL UZ 171
TVOC emission	7,6 mg/h RAL UZ 171

D-COPIA 3502MF

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	6,3A
Power consumption (Max.)	1605 W
Power consumption (Printing)	620W
Power consumption (Off mode)	1,6W
Power consumption (Power saving mode)	120W
Power consumption (Off mode)	0,1W
TEC (Typical Electricity Consumption)	2,243 kWh/week
Power consumption in networked stand-by - Ethernet	1,9W
Power consumption in networked stand-by	1,9W
Networked stand-by mode switch time	20 min.
Noise level in copying	65,8 dB(A) Lwa RAL UZ 171 - ISO7779
Noise level in stand-by	39,2 dB(A) Lwa RAL UZ 171 - ISO7779
Ozone emission	Below detection Limit
Benzene emission	0,047mg/h RAL UZ 171
Fine dust emission	0,68mg/h RAL UZ 171
Styrene emission	0,43mg/h RAL UZ 171
TVOC emission	7,6 mg/h RAL UZ 171