

# d-Color

## P2226

### ENVIRONMENTAL INFO

Power requirements	220-240 Volt, 50/60 Hz
Rated Current	4,5 A
Power consumption (Max.)	1063 W
Power consumption (Printing)	375 W
Power consumption (sleep mode)	0,9 W
Power consumption (Ready mode)	33 W
Power consumption (Off mode)	0,2 W
TEC (Typical Electricity Consumption) kWh/week	0,920
Power consumption in networked stand-by - Ethernet	0,9 W
Power consumption in networked stand-by - USB	1,8 W
Power consumption in networked stand-by - Wireless	1,8 W
All networks	2 W
Switchover timer from stand-by mode in connection	1 min
Noise level in stand-by	Not measurable
Noise level in copying	63,1 dB(A) Lwad RAL UZ 122 - ISO7779/ISO 9296 RAL-UZ 171

---

Ozone emission	Below detection limit RAL-UZ 171
Benzene emission	Below detection limit RAL-UZ 171
Fine dust emission	0,26 mg/h RAL-UZ 171
Styrene emission	0,093 mg/h RAL-UZ 171
TVOC emission	2,7 mg/h RAL -UZ 171

---



Olivetti S.p.A.  
Strada Monte Navale, 2/c 10015 IVREA (TO) Italy  
[www.olivetti.com](http://www.olivetti.com)  
Copyright © 2021 Olivetti

All rights reserved

The manufacturer reserves the right to make changes to the product described in this manual at any moment and without giving prior warning.

No part of this document may be copied, reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or other, without obtaining prior written authorisation from the publisher.