

d-**Copia** 4523MF – 4524MF

ENVIRONMENTAL INFO

d-Copia 4523MF

| Power requirements | 220-240 Volt, 50/60 Hz |
|--|----------------------------|
| Rated Current | 5.6 A |
| Power consumption (Max.) | 1,270 W |
| Power consumption (Printing) | 584.7 W |
| Power consumption (sleep mode) | 0.5 W |
| Power consumption (ready mode) | 54.9 W |
| Power consumption (Off mode) | 0.1 W |
| TEC (Typical Electricity Consumption) kWh/week | 0.61 |
| Power consumption in networked stand-by - Ethernet | 0.6 W |
| Power consumption in networked stand-by - USB | 0.7 W |
| Power consumption in networked stand-by -Wireless | not measurable |
| All networks | 0.7 W |
| Networked stand-by mode switch time | 1 min |
| Noise level in stand-by | 50.3 dB(A) Lwad RAL-UZ 219 |
| Noise level in copying | 69.3 dB(A) Lwad RAL-UZ 219 |

| Ozone emission | 0.21 mg/h RAL-UZ 219 |
|--------------------|--------------------------------------|
| Benzene emission | below detection limit RAL- UZ 219 |
| Fine dust emission | below detection limit RAL- UZ 219 |
| Styrene emission | 0.13 mg/h RAL-UZ 219 |
| TVOC emission | 6.25 mg/h RAL-UZ 219 |

| d-Co | pia | 4524MF | |
|------|-----|--------|--|
|------|-----|--------|--|

| Power requirements | 220-240 Volt, 50/60 Hz |
|--|--------------------------------------|
| Rated Current | 5.6 A |
| Power consumption (Max.) | 1,270 W |
| Power consumption (Printing) | 594.1 W |
| Power consumption (sleep mode) | 0.6 W |
| Power consumption (ready mode) | 55.9 W |
| Power consumption (Off mode) | 0.1 W |
| TEC (Typical Electricity Consumption) kWh/week | 0.61 |
| Power consumption in networked stand-by - Ethernet | 0.7 W |
| Power consumption in networked stand-by - USB | 0.7 W |
| Power consumption in networked stand-by -Wireless | not measurable |
| Power consumption in networked stand-by - Fax | 0.6 W |
| All networks | 0.8 W |
| Networked stand-by mode switch time | 1 min |
| Noise level in stand-by | 50.3 dB(A) Lwad RAL-UZ 219 |
| Noise level in copying | 69.3 dB(A) Lwad RAL-UZ 219 |
| Ozone emission | 0.21 mg/h RAL-UZ 219 |
| Benzene emission | below detection limit RAL- UZ 219 |
| Fine dust emission | below detection limit RAL- UZ 219 |
| Styrene emission | 0.13 mg/h RAL-UZ 219 |
| TVOC emission | 6.25 mg/h RAL-UZ 219 |
| | |



Olivetti S.p.A. Strada Monte Navale, 2/c 10015 IVREA (TO) Italy www.olivetti.com Copyright © 2024 Olivetti

All rights reserved

The manufacturer reserves the right to make changes to the product described in this manual at any moment and without giving prior warning. No part of this document may be copied, reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or other, without obtaining prior written authorisation from the publisher.